



AHCY gene

adenosylhomocysteinase

Normal Function

The *AHCY* gene provides instructions for producing the enzyme S-adenosylhomocysteine hydrolase. This enzyme is involved in a multistep process that breaks down the protein building block (amino acid) methionine. Specifically, S-adenosylhomocysteine hydrolase controls the step that converts the compound S-adenosylhomocysteine to the compounds adenosine and homocysteine. This reaction also plays an important role in regulating the addition of methyl groups, consisting of one carbon atom and three hydrogen atoms, to other compounds (methylation). Methylation is important in many cellular processes. These include determining whether the instructions in a particular segment of DNA are carried out, regulating reactions involving proteins and lipids, and controlling the processing of chemicals that relay signals in the nervous system (neurotransmitters).

Health Conditions Related to Genetic Changes


hypermethioninemia

Three mutations in the *AHCY* gene have been described in people with hypermethioninemia. In a Croatian family, one mutation substitutes the amino acid cysteine for the amino acid tyrosine at protein position 143 (written as Tyr143Cys or Y143C). Another mutation replaces the amino acid tryptophan with a premature stop signal at position 112 (written as Trp112X or W112X), resulting in an enzyme that is abnormally short. A U.S. patient was found to have, in addition to the Y143C mutation, a mutation that substitutes the amino acid valine for the amino acid alanine at position 89 (written as Ala89Val or A89V). These mutations reduce the activity of the S-adenosylhomocysteine hydrolase enzyme, resulting in the signs and symptoms of hypermethioninemia.

Chromosomal Location

Cytogenetic Location: 20q11.22, which is the long (q) arm of chromosome 20 at position 11.22

Molecular Location: base pairs 34,235,012 to 34,311,976 on chromosome 20 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- SAHH
- SAHH_HUMAN

Additional Information & Resources

Educational Resources

- Biochemistry (fifth edition, 2002): Methionine Metabolism
<https://www.ncbi.nlm.nih.gov/books/NBK22453/?rendertype=figure&id=A3252>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28AHCY%5BTIAB%5D%29+OR+%28S-adenosylhomocysteine+hydrolase%5BTIAB%5D%29%29+OR+%28%28SAHH%5BTIAB%5D%29+OR+%28adenosylhomocysteinase%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- S-ADENOSYLHOMOCYSTEINE HYDROLASE
<http://omim.org/entry/180960>

Research Resources

- **Atlas of Genetics and Cytogenetics in Oncology and Haematology**
http://atlasgeneticsoncology.org/Genes/GC_AHCY.html
- **ClinVar**
<https://www.ncbi.nlm.nih.gov/clinvar?term=AHCY%5Bgene%5D>
- **HGNC Gene Symbol Report**
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=343
- **NCBI Gene**
<https://www.ncbi.nlm.nih.gov/gene/191>
- **UniProt**
<http://www.uniprot.org/uniprot/P23526>

Sources for This Summary

- Baric I, Fumic K, Glenn B, Cuk M, Schulze A, Finkelstein JD, James SJ, Mejaski-Bosnjak V, Pazanin L, Pogribny IP, Rados M, Sarnavka V, Scukanec-Spoljar M, Allen RH, Stabler S, Uzelac L, Vugrek O, Wagner C, Zeisel S, Mudd SH. S-adenosylhomocysteine hydrolase deficiency in a human: a genetic disorder of methionine metabolism. *Proc Natl Acad Sci U S A.* 2004 Mar 23; 101(12):4234-9. Epub 2004 Mar 15.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15024124>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC384724/>
- Baric I, Cuk M, Fumic K, Vugrek O, Allen RH, Glenn B, Maradin M, Pazanin L, Pogribny I, Rados M, Sarnavka V, Schulze A, Stabler S, Wagner C, Zeisel SH, Mudd SH. S-Adenosylhomocysteine hydrolase deficiency: a second patient, the younger brother of the index patient, and outcomes during therapy. *J Inherit Metab Dis.* 2005;28(6):885-902.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16435181>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2441944/>
- Biochemistry (fifth edition, 2002): Methionine Metabolism
<https://www.ncbi.nlm.nih.gov/books/NBK22453/?rendertype=figure&id=A3252>
- Buist NR, Glenn B, Vugrek O, Wagner C, Stabler S, Allen RH, Pogribny I, Schulze A, Zeisel SH, Baric I, Mudd SH. S-adenosylhomocysteine hydrolase deficiency in a 26-year-old man. *J Inherit Metab Dis.* 2006 Aug;29(4):538-45. Epub 2006 May 30.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16736098>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2430673/>
- OMIM: S-ADENOSYLHOMOCYSTEINE HYDROLASE
<http://omim.org/entry/180960>
- Smythies JR, Gottfries CG, Regland B. Disturbances of one-carbon metabolism in neuropsychiatric disorders: a review. *Biol Psychiatry.* 1997 Jan 15;41(2):230-3. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/9018395>
- Turner MA, Yang X, Yin D, Kuczera K, Borchardt RT, Howell PL. Structure and function of S-adenosylhomocysteine hydrolase. *Cell Biochem Biophys.* 2000;33(2):101-25. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11325033>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/AHCY>

Reviewed: April 2007
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services